


FIG. 2



F1G. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7A




FIG. 7B






FIG. 8



F1G. 9



F1G.10




FIG. 11

URL http://www.maintain.co.jp/db/input.html PROBLEM DB INPUT SCREEN
PROBLEM DR INDUT SCREEN
I RODLEM DD MFOT SCREEN
-
INPUT
TYPE ******** 1401
NAME OF OPERATION FAILURE (START-UP ERROR) 1403
DEVICE 465NS4580001 1402
DEGREE OF D 1405
DATE OF OCCURRENCE 27 DEC 2000 1404
SIGN OF PROBLEM
LED LIT INTERMITTENTLY AFTER POWER IS SUPPLIED 1406
COUNTERMEASURE
SUPPLY POWER AGAIN (PRESS RED BUTTON AT START) 1407

PROGRESS
PROBLEM COUNTERED TENTATIVELY
1408
(SEND) (RESET)
LINK TO LIST OF 1410 1411 1412
DATA BASE OF RESULT SOFTWARE LIBRARY OPERATION GUIDE

FIG. 12




FIG. 13




FIG. 14




FIG. 15A





FIG. 15B



ì

F1G. 16A




FIG. 17A





FIG. 17B



F1G. 18B F1G. 18A




FIG. 19





FIG. 20



- --- UPPER LEFT CORNER
- --- LEFT CENTER PORTION
- --- RIGHT CENTER PORTION
- ---- LOWER RIGHT CORNER
- FLOWING-OUT PORT